

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S52 6	33	S525 not S524	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S52 5	149	(token ticket) same (storage disk segment scsi partition) near3 (address ID location) and remote and access\$3 and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S52 4	116	token same (storage disk segment scsi partition) near3 (address ID location) and remote and access\$3 and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S52 3	196	token same (storage disk segment scsi partition) near3 (address ID location) and remote and access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S52 2	1	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token ticket cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retriev\$3 protocol control\$4 command block scsi disk request\$3 network) and "6594698" and (ticket token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S52 1	8	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token ticket cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retriev\$3 protocol control\$4 command block scsi disk request\$3 network) and "6594698"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S52 0	4	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token ticket cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retriev\$3 protocol control\$4 command block scsi disk request\$3 network) and S519	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13

EAST Search History

S51 9	4	((("6330585") or ("6240446"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/15 17:13
S51 8	5	"6330585"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S51 7	10	"6240446"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S51 6	6	(access\$3 privilege permi\$8 token authentica\$3 verif\$8 token token ticket cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retrieve\$3 protocol control\$4 command block scsi disk request\$3 network) and S515	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S51 5	6	"6738821"	USPAT	OR	ON	2006/04/15 17:13
S51 4	5	(access\$3 privilege permi\$8 token authentica\$3 verif\$8 token token ticket cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retrieve\$3 protocol control\$4 command block scsi disk request\$3 network) and S513	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S51 3	5	("6738821").URPN.	USPAT	OR	ON	2006/04/15 17:13
S51 2	2006	709/226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13

EAST Search History

S51 1	31	("5434976" "5491812" "5535375" "5577172" "5659798" "5664116" "5696899" "5859848" "5923659" "5938752" "5966510" "5996024" "5999541" "6006268" "6018530" "6067595" "6105092" "6141312" "6167515" "6181699" "6185203" "6189052" "6195703" "6226680" "6246683" "6247101" "6289023" "6324183" "6336171" "6421711" "6453360").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/15 17:13
S51 0	88	(token or ticket) and (write or read or update) adj command and SCSI adj3 command and remote and (access\$3 retriev\$3 stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S50 9	137	(token or ticket) and (write or read or update) adj command and SCSI adj3 command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S50 8	35	(token or ticket) and (write or read or update) adj command and "ISCSI"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S50 7	46	(token or ticket) and (write or read or update) adj command and remote adj access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S50 6	59999	token or ticket and (write or read or update) adj command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S50 5	383	token with storage and remote with access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S50 4	6	(token ticket) with (ID username password device address storage) and command adj3 (block word) and remote with access\$3 and scsi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13

EAST Search History

S50 3	51	(token ticket) and command adj3 (block word) and remote with access\$3 and scsi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S50 2	288	(token ticket) and command adj3 (block word) and remote with access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S50 1	9	(extended adj file adj system) and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S50 0	75	xf\$ and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S49 9	61	(access\$3 privilege permi\$8 token authentica\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retriev\$3 protocol control\$4 command block scsi disk request\$3 network) and S498	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S49 8	61	(token ticket) with (device storage) adj (ID location address) and remote with access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S49 7	8	storage adj network adj protocol and (token ticket)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S49 6	114	iscsi and (token ticket)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S49 5	1314	iscsi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13

EAST Search History

S49 4	33	(token ticket) and command adj data adj block	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S49 3	1143	(token ticket) and command adj3 (block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S49 2	1569	(token ticket) and command adj3 (block word)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S49 1	154	(token ticket) near7 (device storage) adj (ID location address) and storage and disk	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S49 0	235	(token ticket) near7 (device storage) adj (ID location address) and storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S48 9	3	(token ticket) near7 (device storage) adj (ID location address) and scsi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S48 8	24	(token ticket) with (device storage) adj (ID location address) and scsi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S48 7	499	(token ticket) with (device storage) adj (ID location address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S48 6	7	(access\$3 privilege permi\$8 token authentica\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retriev\$3 command block scsi disk request\$3 network) and S481	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13

EAST Search History

S48 5	24	(access\$3 privilege permi\$8 token authentica\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retrieve\$3 command block scsi disk request\$3 network) and S482	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S48 4	4	"5809279" and (tiket authentica\$3 password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S48 3	0	"5809279" and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S48 2	24	"5809279"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S48 1	7	"6134709"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S48 0	0	"98106923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S47 9	448	token with (data storage device disk scsi (hard adj drive)) adj2 (location address\$3 ID block segment) and command and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S47 8	4	S477 not S472	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S47 7	31	token with (authentica\$3 verif\$8 authoriz\$6) and (scsi block disk) near5 (command instruct\$3) and (command instruct\$3) and (storage disk SCSI) near5 (controll\$3 access\$3) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13

EAST Search History

S47 6	2	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retrieve\$3 request\$3 network) and S475 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S47 5	7	("6161145").URPN.	USPAT	OR	ON	2006/04/15 17:13
S47 4	2	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retrieve\$3 request\$3 network) and S473 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S47 3	18	("5627967").URPN.	USPAT	OR	ON	2006/04/15 17:13
S47 2	27	token with (authenticat\$3 verif\$8 authoriz\$6) and (scsi block disk) near5 (command instruct\$3) and (command instruct\$3) and (storage disk SCSI) near5 access\$3 and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S47 1	91	token with (authenticat\$3 verif\$8 authoriz\$6) and (scsi block disk) near5 (command instruct\$3) and (command instruct\$3) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S47 0	231	token with (authenticat\$3 verif\$8 authoriz\$6) and (scsi block disk) near5 (command instruct\$3) and (command instruct\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S46 9	43	token with (data storage device disk scsi (hard adj drive)) adj2 (location address\$3 ID block segment) and (command instruct\$3) and network and scsi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S46 8	37	token with (data storage device disk scsi (hard adj drive)) adj2 (location address\$3 ID block segment) and (command instruct\$3) and network and scsi and I/O	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S46 7	1112	token with (data storage device disk scsi (hard adj drive)) adj2 (location address\$3 ID block segment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13

EAST Search History

S46 6	65	first adj token and second adj token and command and (scsi disk storage) and (address\$3 location id) and (controller server manager) and network and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S46 5	140	first adj token and second adj token and command and (scsi disk storage) and (address\$3 location id) and (controller server manager) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S46 4	7	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retrieve\$3 request\$3 network) and S462 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S46 3	49	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retrieve\$3 request\$3 network) and S462	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S46 2	49	("3673576" "3725864" "4040037" "4272815" "4841475" "5008808" "5084877" "5218680" "5260933" "5367661" "5396596" "5442637" "5526484" "5528605" "5566304" "5577172" "5584039" "5584041" "5611070" "5640596" "5666358" "5708961" "5748684" "5764392" "5768530" "5787256" "5835925" "5845147" "5870625" "5872911" "5878227" "5901327" "5930480" "5938735" "5952932" "5959995" "5960436" "6000012" "6014383" "6018779" "6029008" "6052744" "6138161" "6167459" "6170023" "6185203" "6188702" "6205498" "6240446").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/15 17:13

EAST Search History

S46 1	49	("3673576" "3725864" "4040037" "4272815" "4841475" "5008808" "5084877" "5218680" "5260933" "5367661" "5396596" "5442637" "5526484" "5528605" "5566304" "5577172" "5584039" "5584041" "5611070" "5640596" "5666358" "5708961" "5748684" "5764392" "5768530" "5787256" "5835925" "5845147" "5870625" "5872911" "5878227" "5901327" "5930480" "5938735" "5952932" "5959995" "5960436" "6000012" "6014383" "6018779" "6029008" "6052744" "6138161" "6167459" "6170023" "6185203" "6188702" "6205498" "6240446").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/15 17:13
S46 0	37	710/107.ccls. and token and command and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S45 9	61	710/107.ccls. and token and command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S45 8	1082	710/107.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S45 7	70	token and (disk storage) and (address\$2 location ID) and command and scsi and server and network and access\$3 and instruct\$3 and application and authoriz\$6 and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S45 6	201	token and (disk storage) and (address\$2 location ID) and command and scsi and server and network and access\$3 and instruct\$3 and application and authoriz\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S45 5	723	token and (disk storage) and (address\$2 location ID) and command and scsi and server and network and access\$3 and instruct\$3 and application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13

EAST Search History

S45 4	733	token and (disk storage) and (address\$2 location ID) and command and scsi and server and network and access\$3 and instruct\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S45 3	1486	token and (disk storage) and (address\$2 location ID) and command and scsi and server and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S45 2	69	token with (disk storage) with (address\$2 location ID) same command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S45 1	6	token with (disk storage) with (address\$2 location ID) same (scsi block disk) near5 command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S45 0	524	token with (disk storage) with (address\$2 location ID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S44 9	238	(scsi disk ata (data adj storage)) near5 command and token and (authenticat\$3 authoriz\$6 verif\$8)and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S44 8	407	(scsi disk ata (data adj storage)) near5 command and token and (authenticat\$3 authoriz\$6 verif\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S44 7	791	(scsi disk ata (data adj storage)) near7 command and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S44 6	8	(scsi disk ata (data adj storage)) near7 command and token and (access\$4 adj token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S44 5	7	(scsi disk ata) near5 command and token and (access\$4 adj token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13

EAST Search History

S44 4	601	(scsi disk ata) near5 command and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S44 3	615	(scsi disk ata DASD) near5 command and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S44 2	23	DASD near5 command and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S44 1	240	DASD near5 command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S44 0	2	scsi same (command adj ID) and (token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S43 9	8	scsi same (command adj ID)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S43 8	12	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device string scsi command block id ID IP data access\$3 retrieve\$3 request\$3 network) and S436 and (token cookie)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S43 7	38	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device string scsi command block id ID IP data access\$3 retrieve\$3 request\$3 network) and S436	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13

EAST Search History

S43 6	38	("4649473" "5204954" "5212784" "5404527" "5566331" "5584042" "5590334" "5613124" "5613155" "5694615" "5793965" "5835724" "5838916" "5857188" "5862339" "5867661" "5893116" "5893918" "5903733" "5905872" "5915093" "5940841" "5996014" "6003084" "6006268" "6014702" "6023698" "6029175" "6032224" "6088451" "6092196" "6108703" "6192408" "6240417" "6247055" "6247139" "6275953" "6298380").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/15 17:13
S43 5	1	("6567853").URPN.	USPAT	OR	ON	2006/04/15 17:13
S43 4	1	("6567853").URPN.	USPAT	OR	ON	2006/04/15 17:13
S43 3	2	(access\$3 privilege permi\$8 token authentica\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device string scsi command block id ID IP data access\$3 retriev\$3 request\$3 network) and S432	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S43 2	2	("6092149").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/15 17:13
S43 1	110	(access\$3 privilege permi\$8 token authentica\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device string scsi command block id ID IP data access\$3 retriev\$3 request\$3 network) and S430	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S43 0	110	token same (authentica\$3 authoriz\$6 verif\$8) and ((disk near5 command) or (block near5 command)) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S42 9	77	token same ((disk near5 command) or (block near5 command)) and (authentica\$3 authoriz\$6 verif\$8) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13

EAST Search History

S42 8	140	token same ((disk near5 command) or (block near5 command)) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S42 7	260	token same ((disk near5 command) or (block near5 command))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S42 6	4	711/113.ccls. and token near5 access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S42 5	1152	711/113.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S42 4	1	(access\$3 privilege permi\$8 token authentica\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retrieve\$3 request\$3 network) and S418 and (token cookie string) and scsi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S42 3	26	scsi near5 command same token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S42 2	3444	scsi near5 command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S42 1	23	(access\$3 privilege permi\$8 token authentica\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retrieve\$3 request\$3 network) and S418 and (token cookie string)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13

EAST Search History

S420	41	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token cookie string MAC code read\$3 database storage file server address location device id ID IP data access\$3 retrieve\$3 request\$3 network) and S418	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S419	41	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token read\$3 database storage file server address location device id ID IP data access\$3 retrieve\$3 request\$3 network) and S418	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S418	41	("5506961").URPN.	USPAT	OR	ON	2006/04/15 17:13
S417	2	(access\$3 privilege permi\$8 token authenticat\$3 verif\$8 token token read\$3 database storage file server address location device id ID IP data access\$3 retrieve\$3 request\$3 network) and S347	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S416	249	((token) with (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S415	249	((token) with (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S414	111	(access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token and token with read\$3 and ((database storage (file adj server)) near5 (address location (device adj id) ID IP)) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S413	73	S387 not S412	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S412	32	remote near3 data near3 storage and (access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13

EAST Search History

S41 1	45	block near3 command with data with access\$3 and token and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S41 0	77	block near3 command with data with access\$3 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S40 9	51	(access\$3 adj token) and (token near5 database) and token and ((compar\$3 match\$3 verif\$3 check\$3) near5 token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S40 8	95	(access\$3 adj token) and (token near5 database) and token and (compar\$3 match\$3 verif\$3 check\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S40 7	101	(access\$3 adj token) and (token near5 database) and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S40 6	101	(access\$3 adj token) and (token near5 database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S40 5	2	"6810525"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S40 4	47	token and access\$3 and authoriz\$6 and (token with (access\$3 adj (manager controller authorizer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S40 3	43	S368 and token and access\$3 and authoriz\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S40 2	59	S368 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13

EAST Search History

S40 1	42	((token) with (storage near3 (address location (device adj id) ID))) and access\$3 and authorizat\$3 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S40 0	7	((token) with (storage near3 (address location (device adj id) ID))) and access\$3 and authorizat\$3 and token and (second adj token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:13
S39 9	51	(access\$3 adj token) and (token near5 database) and token and ((compar\$3 match\$3 verif\$3 check\$3) near5 token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S39 8	95	(access\$3 adj token) and (token near5 database) and token and (compar\$3 match\$3 verif\$3 check\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S39 7	101	(access\$3 adj token) and (token near5 database) and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S39 6	101	(access\$3 adj token) and (token near5 database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S39 5	2	"6810525"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S39 4	47	token and access\$3 and authoriz\$6 and (token with (access\$3 adj (manager controller authorizer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S39 3	43	S352 and token and access\$3 and authoriz\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S39 2	59	S352 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12

EAST Search History

S39 1	42	((token) with (storage near3 (address location (device adj id) ID))) and access\$3 and authorizat\$3 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S39 0	7	((token) with (storage near3 (address location (device adj id) ID))) and access\$3 and authorizat\$3 and token and (second adj token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S38 9	2	(first adj token) and (second adj token) same (storage near3 (address location (device adj id) ID))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S38 8	2	(first adj token) and (second adj token) same (storage near3 (address location (device adj id) ID))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S38 7	104	remote near3 storage and (access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S38 6	4126	remote near3 data near3 storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S38 5	545	block near3 command with data with access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S38 4	49	(access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token and token with read\$3 and ((database storage (file adj server)) near5 (address location (device adj id) ID IP)) and data near5 (access\$3 retrieve\$3 request\$3) same network and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S38 3	214	(access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token and token with read\$3 and ((database storage (file adj server)) near5 (address location (device adj id) ID IP))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12

EAST Search History

S38 2	1330	(access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S38 1	2464	block near5 command same (access\$3) same data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S38 0	24763	block near5 command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S37 9	640	707/10.ccls. and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S37 8	5650	707/10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S37 7	139	(access\$3 adj token) and (token with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S37 6	0	S368 and token and access\$3 and authoriz\$6 and (token with (access\$3 adj (manager controller authorizer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S37 5	57	S368 and token and access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S37 4	0	S373 and S368	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S37 3	42	((token) with (storage near3 (address location (device adj id) ID))) and access\$3 and authorizat\$3 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12

EAST Search History

S37 2	1303	235/382.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S37 1	527	713/185.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S37 0	337	713/183.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S36 9	387	713/172.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S36 8	158	713/159.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S36 7	0	395/25.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S36 6	0	395/186.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S36 5	447	((token) same (storage near3 (address location (device adj id ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S36 4	2	((first adj token) same (storage near3 (address location (device adj id) ID))) and ((second adj token) same (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S36 3	640	707/10.ccls. and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12

EAST Search History

S36 2	5650	707/10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S36 1	139	(access\$3 adj token) and (token with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S36 0	0	S352 and token and access\$3 and authoriz\$6 and (token with (access\$3 adj (manager controller authorizer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S35 9	57	S352 and token and access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S35 8	0	S357 and S352	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S35 7	42	((token) with (storage near3 (address location (device adj id) ID))) and access\$3 and authorizat\$3 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S35 6	1303	235/382.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S35 5	527	713/185.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S35 4	337	713/183.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S35 3	387	713/172.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12

EAST Search History

S35 2	158	713/159.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S35 1	0	395/25.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S35 0	0	395/186.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S34 9	447	((token) same (storage near3 (address location (device adj id ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S34 8	2	((first adj token) same (storage near3 (address location (device adj id) ID))) and ((second adj token) same (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S34 7	2	("5506961").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/15 17:12
S34 6	5	("6230272").URPN.	USPAT	OR	ON	2006/04/15 17:12
S34 5	73	S344 not S343	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S34 4	104	remote near3 storage and (access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S34 3	32	remote near3 data near3 storage and (access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12

EAST Search History

S34 2	4126	remote near3 data near3 storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S34 1	45	block near3 command with data with access\$3 and token and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S34 0	77	block near3 command with data with access\$3 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S33 9	545	block near3 command with data with access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S33 8	49	(access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token and token with read\$3 and ((database storage (file adj server)) near5 (address location (device adj id) ID IP)) and data near5 (access\$3 retrieve\$3 request\$3) same network and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S33 7	111	(access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token and token with read\$3 and ((database storage (file adj server)) near5 (address location (device adj id) ID IP)) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S33 6	214	(access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token and token with read\$3 and ((database storage (file adj server)) near5 (address location (device adj id) ID IP))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S33 5	1330	(access\$3 privilege permi\$8) near5 token and (authenticat\$3 verif\$8) with token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12

EAST Search History

S33 4	2464	block near5 command same (access\$3) same data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S33 3	24763	block near5 command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S33 2	249	((token) with (storage near3 (address location (device adj id ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S33 1	51	(access\$3 adj token) and (token near5 database) and token and ((compar\$3 match\$3 verif\$3 check\$3) near5 token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S33 0	95	(access\$3 adj token) and (token near5 database) and token and (compar\$3 match\$3 verif\$3 check\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S32 9	101	(access\$3 adj token) and (token near5 database) and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S32 8	101	(access\$3 adj token) and (token near5 database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S32 7	2	"6810525"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S32 6	47	token and access\$3 and authoriz\$6 and (token with (access\$3 adj (manager controller authorizer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S32 5	43	S309 and token and access\$3 and authoriz\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12

EAST Search History

S32 4	59	S309 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S32 3	42	((token) with (storage near3 (address location (device adj id ID))) and access\$3 and authorizat\$3 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S32 2	7	((token) with (storage near3 (address location (device adj id ID))) and access\$3 and authorizat\$3 and token and (second adj token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S32 1	2	(first adj token) and (second adj token) same (storage near3 (address location (device adj id ID))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S32 0	640	707/10.ccls. and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S31 9	5650	707/10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S31 8	139	(access\$3 adj token) and (token with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S31 7	0	S309 and token and access\$3 and authoriz\$6 and (token with (access\$3 adj (manager controller authorizer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S31 6	57	S309 and token and access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S31 5	0	S314 and S309	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12

EAST Search History

S31 4	42	((token) with (storage near3 (address location (device adj id) ID))) and access\$3 and authorizat\$3 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S31 3	1303	235/382.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S31 2	527	713/185.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S31 1	337	713/183.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S31 0	387	713/172.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S30 9	158	713/159.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S30 8	0	395/25.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S30 7	0	395/186.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S30 6	447	((token) same (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S30 5	2	((first adj token) same (storage near3 (address location (device adj id) ID))) and ((second adj token) same (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12

EAST Search History

S30 4	640	707/10.ccls. and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S30 3	5650	707/10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S30 2	51	(access\$3 adj token) and (token near5 database) and token and ((compar\$3 match\$3 verif\$3 check\$3) near5 token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S30 1	95	(access\$3 adj token) and (token near5 database) and token and (compar\$3 match\$3 verif\$3 check\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S30 0	101	(access\$3 adj token) and (token near5 database) and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S29 9	101	(access\$3 adj token) and (token near5 database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S29 8	139	(access\$3 adj token) and (token with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S29 7	2	"6810525"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S29 6	47	token and access\$3 and authoriz\$6 and (token with (access\$3 adj (manager controller authorizer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S29 5	0	S286 and token and access\$3 and authoriz\$6 and (token with (access\$3 adj (manager controller authorizer)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12

EAST Search History

S29 4	43	S286 and token and access\$3 and authoriz\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S29 3	57	S286 and token and access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S29 2	59	S286 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S29 1	0	S283 and S286	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S29 0	1303	235/382.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S28 9	527	713/185.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S28 8	337	713/183.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S28 7	387	713/172.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S28 6	158	713/159.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S28 5	0	395/25.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12

EAST Search History

S28 4	0	395/186.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S28 3	42	((token) with (storage near3 (address location (device adj id) ID))) and access\$3 and authorizat\$3 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S28 2	7	((token) with (storage near3 (address location (device adj id) ID))) and access\$3 and authorizat\$3 and token and (second adj token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S28 1	249	((token) with (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S28 0	447	((token) same (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S27 9	2	((first adj token) same (storage near3 (address location (device adj id) ID))) and ((second adj token) same (storage near3 (address location (device adj id) ID)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12
S27 8	2	(first adj token) and (second adj token) same (storage near3 (address location (device adj id) ID))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/15 17:12